

DEPARTMENT OF TRANSPORTATION
DIVISION OF ENGINEERING SERVICES
OFFICE ENGINEER, MS 43
1727 30TH STREET
P.O. BOX 168041
SACRAMENTO, CA 95816-8041
PHONE (916) 227-6230
FAX (916) 227-6214
TTY (916) 227-8454



*Flex your power!
Be energy efficient!*

**** WARNING ** WARNING ** WARNING ** WARNING ****
This document is intended for informational purposes only.

Users are cautioned that California Department of Transportation (Department) does not assume any liability or responsibility based on these electronic files or for any defective or incomplete copying, excerpting, scanning, faxing or downloading of the contract documents. As always, for the official paper versions of the bidders packages and non-bidder packages, including addenda write to the California Department of Transportation, Plans and Bid Documents, Room 0200, P.O. Box 942874, Sacramento, CA 94272-0001, telephone (916) 654-4490 or fax (916) 654-7028. Office hours are 7:30 a.m. to 4:15 p.m. When ordering bidder or non-bidder packages it is important that you include a telephone number and fax number, P.O. Box and street address so that you can receive addenda.

May 27, 2004

02-Tri-299-76.8/80.3
02-1C4904
ACNH-P299(145)E

Addendum No. 1

Dear Contractor:

This addendum is being issued to the contract for construction on State highway in TRINITY COUNTY NEAR WEAVERVILLE AT VARIOUS LOCATIONS FROM 0.3 KM EAST OF CASTLE ROAD TO 1.9 KM EAST OF GLENNISON GAP ROAD.

Submit bids for this work with the understanding and full consideration of this addendum. The revisions declared in this addendum are an essential part of the contract.

Bids for this work will be opened on June 2, 2004.

This addendum is being issued to revise the Proposal and Contract.

In the Proposal and Contract, the Engineer's Estimate Item 28 is revised as attached.

To Proposal and Contract book holders:

Replace page 4 of the Engineer's Estimate in the Proposal with the attached revised page 4 of the Engineer's Estimate. The revised Engineer's Estimate is to be used in the bid.

Indicate receipt of this addendum by filling in the number of this addendum in the space provided on the signature page of the proposal.

Submit bids in the Proposal and Contract book you now possess. Holders who have already mailed their book will be contacted to arrange for the return of their book.

Inform subcontractors and suppliers as necessary.

Addendum No. 1
Page 2
May 27, 2004

02-Tri-299-76.8/80.3
02-1C4904
ACNH-P299(145)E

This office is sending this addendum by confirmed facsimile to all book holders to ensure that each receives it. A copy of this addendum and the modified wage rates are available for the contractor's use on the Internet Site:

http://www.dot.ca.gov/hq/esc/oe/weekly_ads/addendum_page.html

If you are not a Proposal and Contract book holder, but request a book to bid on this project, you must comply with the requirements of this letter before submitting your bid.

Sincerely,

ORIGINAL SIGNED BY

REBECCA D. HARNAGEL, Chief
Office of Plans, Specifications & Estimates
Office Engineer

Attachment

**ENGINEER'S ESTIMATE
02-1C4904**

Item No.	Item Code	Item Description	Unit of Measure	Estimated Quantity	Unit Price	Item Total
21	190110	LEAD COMPLIANCE PLAN	LS	LUMP SUM	LUMP SUM	
22	033019	GEOSYNTHETIC REINFORCED EMBANKMENT (10 M WIDE MAX)	M2	2380		
23	033020	GEOSYNTHETIC REINFORCED EMBANKMENT (2.5 M WIDE MAX)	M2	380		
24	198007	IMPORTED MATERIAL (SHOULDER BACKING)	TONN	440		
25 (S)	203001	EROSION CONTROL (BLANKET)	M2	6370		
26 (S)	203003	STRAW (EROSION CONTROL)	KG	2550		
27 (S)	203014	FIBER (EROSION CONTROL)	KG	240		
28 (S)	203024	COMPOST (EROSION CONTROL)	M3	2.3		
29 (S)	203045	PURE LIVE SEED (EROSION CONTROL)	KG	25		
30 (S)	203056	COMMERCIAL FERTILIZER (EROSION CONTROL)	KG	86		
31 (S)	203061	STABILIZING EMULSION (EROSION CONTROL)	KG	86		
32	260201	CLASS 2 AGGREGATE BASE	M3	29		
33	390155	ASPHALT CONCRETE (TYPE A)	TONN	250		
34	394002	PLACE ASPHALT CONCRETE (MISCELLANEOUS AREA)	M2	130		
35	394044	PLACE ASPHALT CONCRETE DIKE (TYPE C)	M	14		
36	394049	PLACE ASPHALT CONCRETE DIKE (TYPE F)	M	12		
37	680933	200 MM PERFORATED PLASTIC PIPE UNDERDRAIN	M	650		
38	682008	PERMEABLE MATERIAL (BLANKET)	M3	1980		
39	721008	ROCK SLOPE PROTECTION (LIGHT, METHOD B)	TONN	3330		
40	033021	ROCK SLOPE PROTECTION (FACING MODIFIED, METHOD B)	TONN	990		